

Universal Jointing Consortium

Bulletin Number: UJCB032

16th November 2007

www.ujconsortium.com



Radiographic Inspection Parameters

The UJC would like to notify customers of a global change in all cable to cable radiographic profiles in UJCM011, where the minimum wall thickness has been reduced from 8.6mm to 8.2mm. Although tests have demonstrated that a wall thickness of 7.7mm meets the appropriate qualification test criteria, a wall thickness of 8.6mm should be achieved if the joint has been assembled correctly and the moulding carried out to UJCM034. If wall thicknesses of 8.2mm and below are observed, customers are advised to investigate the causes. These could be that ferrules have not been assembled and pressed correctly or the joint placed in the mould incorrectly without adequate support of the cables on either side of the mould. The new profiles will be published in UJCM011 in the December 2007 Explorer.

Contacts for the UJC

UJC Coordinator

Kokusai Cable Ship Co., Ltd.

Alcatel Submarine Networks SA

Global Marine Systems Ltd

Tyco Telecommunications (US) Inc.

General Matters

Mr Leo Foulger (+44 1245 703250)
E-mail: coordinator@ujconsortium.com

Mr Takashi Kaida (+81 3 6716 1195)
E-mail: kaida@k-kcs.co.jp

Ms Eriko Yamate (+ 81 3 6716 1192)
E-mail: yamate@k-kcs.co.jp

Mr Emmanuel Delanoue (+33 1 64 49 11 39)
E-mail: emmanuel.delanoue@alcatel.fr

Mr Phil Hart (+44 1245 702143)
E-mail: phil.hart@globalmarinesystems.com

Mr Walter Price (+1 973 656 8618)
E-mail: wprice@tycotelecom.com

Mr J Jackson (+1 410 783 2240)
E-mail: jfjackson@tycotelecom.com

Technical Matters

Mr Leo Foulger(+44 1245 703250)
E-mail: coordinator@ujconsortium.com

Mr Tatsuya Shimobachi (+81 3 6716 1292)
E-mail: shimobac@k-kcs.co.jp

Mr Pierre Gaillard (+33 3 21 46 70 39)
E-mail: pierre.gaillard@alcatel.fr

Mr Craig Beech (+44 1245 703236)
E-mail: craig.beech@globalmarinesystems.com

Mr Joe Man (+1 410 783 2250)
E-mail: jman@tycotelecom.com